







CAMPUS INTRAMURAL FIELD
Scale in feet
1 inch = 40.0 ft.


MAY COMPLEX SOCCER FIELD
Scale in feet
1 inch = 40.0 ft.

MAY COMPLEX INTRAMURAL FIELD
Scale in feet
1 inch = 40.0 ft.

LOCATION MAP
N.T.S.



NETTING POLE DETAIL
1"=1'-0"



MAY COMPLEX INTRAMURAL FIELD ELEVATION "C"
1"=20.0'

NOTES

1. CONCRETE SHALL BE 3000 PSI STRENGTH IN 28 DAYS. SHALL BE 3000 PSI STRENGTH IN 28 DAYS. SHALL BE 3000 PSI STRENGTH IN 28 DAYS.
2. STRUCTURAL STEEL SHALL BE A575, GRADE 50. SHALL BE A575, GRADE 50. SHALL BE A575, GRADE 50.
3. PAINTING EXPOSED STEEL: 2 COATS SHERWIN-WILLIAMS IMPROVOC ENAMEL, COLOR TO MATCH EXISTING STEEL. PORTS.
4. CHAIN LINK FENCING SHALL BE 36 INCH OUTSIDE DIAMETER, SCHEDULE 40 GALVANIZED STEEL PIPE. CORNER AND TERMINAL POSTS 2 INCH OUTSIDE DIAMETER, SCHEDULE 40 GALVANIZED STEEL PIPE. TOP, BOTTOM & BRACE RAIL: 1 INCH OUTSIDE DIAMETER, SCHEDULE 40 GALVANIZED STEEL PIPE. GATE FRAME: 1 1/2 INCH OUTSIDE DIAMETER, SCHEDULE 40 GALVANIZED STEEL PIPE FOR FITTINGS AND TRUSS ROD FABRICATION. CONTINUOUSLY BONDED VINYL COATING COMPLYING WITH ASTM F 888. TENSION BARS: 3/16 INCH BY 3/4 INCH GALVANIZED STEEL, F.A.T BAR. GATE HARDWARE: FORK TYPE LATCH WITH GRAVITY DROP, CENTER GATE STOP AND DROP ROD, THREE (3) DEGREE GATE HINGES PER LEAF.
5. BARRIER NET NETTING: #1 X 1/4" BLACK VINYL SQUARE MESH BARRIER NETTING WITH ROPE BORDER INSTALLED, 200 LB. SINGLE STRAND TENSILE STRENGTH WITH SUPPORT CABLE 5/8" DIAMETER VINYL COATED GALVANIZED CABLE WITH NETTING AND END CLAMPS. INSTALLATION: INSTALL NETTING AND CABLE IN STRICT ACCORDANCE WITH MANUFACTURER'S INSTRUCTIONS.